

To: Kwan, Caroline[kwan.caroline@epa.gov]; Schmidt, Mark[schmidt.mark@epa.gov]; Vaughn, Stephanie[Vaughn.Stephanie@epa.gov]; Sivak, Michael[Sivak.Michael@epa.gov]; Ian Beilby (ian.beilby@dec.ny.gov)[ian.beilby@dec.ny.gov]; Ed Leonard (leonardel@cdmsmith.com)[leonardel@cdmsmith.com]; Chitra Prabhu (cprabhu@louisberger.com)[cprabhu@louisberger.com]; Weissbard, Ron[RWeissbard@dep.nyc.gov]
Cc: Tom Schadt[tschadt@anchorqea.com]; Stuart Messur[smessur@anchorqea.com]; David Haury[dhaury@anchorqea.com]
From: Jim Quadrini
Sent: Thur 2/2/2017 8:34:35 PM
Subject: Sediment Bioassay Write-up

Caroline,

In support of the technical discussions associated with the BERA dispute resolution letter dated December 22, 2016, the NCG has uploaded the following to the SharePoint site:

- 1) Information (write-up and flow charts) that clarifies the approach used in the BERA for interpreting the results of the sediment bioassays and the sediment-porewater relationships. Also included to facilitate your review are tables and figures from the draft February 2016 BERA report that are referenced in the write-up and the flow charts.
- 2) A summary of the discussion with USEPA on January 4 for two of the items in the dispute resolution letter (sediment/polychaete regressions, and surface water screening levels).

USEPA: BERA Sediment Bioassay Interpretation and Two Discussion Items, February 2, 2017

NYC: BERA Sediment Bioassay Interpretation and Two Discussion Items, February 2, 2017

It is anticipated that these will be discussed with USEPA in the technical discussion scheduled for February 9.

Jim

Jim Quadrini, PE, BCEE

ANCHOR QEA, LLC

123 Tice Boulevard, Suite 205
Woodcliff Lake, NJ 07677

D 201.571.0912

F 201.930.9805

C 201.280.3129

ANCHOR QEA,LLC

Please consider the environment before printing this email.

This electronic message transmission contains information that may be confidential and/or privileged work product prepared in anticipation of litigation. The information is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130.